DESIGN + PRESERVATION + PLANNING

243 Judson Avenue Dobbs Ferry, NY 10522

Application # A2021-0330

AHRB Re-Submission for 11/8/2021 Meeting



Figure 1: Existing front (west) elevation



Figure 2: Existing side (south) elevation



Figure 3: Existing side (north) elevation



Figure 4: Existing rear (east) elevation



Figure 5: New shutters to match style of existing shutters. Paint new and existing shutters Benjamin Moore Ocean Tropic (see attached paint specs).



Figure 6: Relocate existing exterior kitchen door to new mudroom. Paint door Benjamin Moore Ocean Tropic (see attached paint specs).



Figure 7: Relocate existing exterior sliding to door to new yoga room. Keep existing white vinyl finish.



Figure 8: West (Front) Elevation Rendering




Figure 9: North (Side) Elevation Rendering



Figure 10: East (Rear) Elevation Rendering



Figure 11: South (Side) Elevation Rendering

Showing 1 - 10 of 370 results for "decorator's white"


<

Decorator's White OC-149

65	च BUY SAMPLES & PAINT
fe	EE IN ROOM
Decorator's White OC-149	COLOR DETAIL

○ ocean tropic


Showing 1 - 10 of 38 results for "ocean tropic"



Showing 1 - 10 of 335 results for "gray huskie"

<

Gray Huskie 1473





To save this color selection, share it or send yourself an email. Take it to your nearest Benjamin Moore retailer below to find the right style and finish.





Front Door 2

DOOR Ocean Tropic 2052-10 >



SIDING Decorator's White OC-149 > SHOP NOW >

SHOP NOW >



TRIM Decorator's White OC-149 > SHOP NOW >



To find the best paint & finish for your project, talk with your local Benjamin Moore retailer.

To save this color palette, share it.





TYPE:

DATE:

NAME:

PROJECT:

Incandescent

P5712-30

Cylinder

 $5^{\prime\prime}$ downlight non-metallic wall cylinder in a White finish. cCSAus listed for wet locations.

- White finish.
- Interior or exterior use.
- Wet location listed.
- Non-corrosive components withstand salt, wind, water & sun damage.
- Ideal for coastal locations.

Category: Outdoor

Finish: White (powder coat paint)

Construction: Polycarbonate Construction

Width: 5" Height: 7-1/4" Depth: 7-3/4" H/CTR: 2-1/2"


MOUNTING	ELECTRICAL	LAMPING	ADDITIONAL INFORMATION
Wall mounted	Pre-wired	Quantity:	UL-CUL Wet location listed
Mounting strap for outlet box included	6" of wire supplied 120 V	One 75w max. BR-30 E26 base ceramic socket	1 year warranty
Back plate covers a standard 4" octagonal recessed outlet box			
4.5″ W.			

Incandescent


Non-Metallic Cylinders

Outdoor





Finish		Dimensions (Inche			nches)		
Catalog No.	White	Black	Lamping	Α	В	С	D
P5712	-30	-31	1-75w PAR30, 65w BR30	4-7/8	7-1/4	7-3/4	2-1/2
P5713	-30	-31	2-75w PAR30	5	14	7-1/4	7



Specifications:

<u>General</u>

- Polycarbonate construction
- Interior or exterior use
- Non corrosive hardware supplied
- P5712 Down lighting. Shields PAR lamps to minimize glare and provide compliance with turtle laws (check local codes)
- P5713 up/down lighting. P8799 top cover lens recommended when unit is used outdoors

<u>Mounting</u>

- Wall mounted
- Covers any outlet box
- Mounting bracket is 4-1/2" square
- Outlet box mounting bracket is supplied. Permits attachment of unit to wall with one almost invisible set screw

Electrical

• Medium based ceramic socket with nickel plated brass screw shell

<u>Accessories</u>

- P8799-30 or -31 top lens cover for P5713 fixture
- P8712-30 or -31 sea turtle accessory for use with P5712 only

<u>Labeling</u>

- UL-CUL wet location listing for P5712 and P5713 with P8799 cover
- UL-CUL listing for P5713 for indoor use with no cover

Progress Lighting 701 Millennium Blvd. Greenville, South Carolina 29607