



NOTES:

- SUB-BASE DEPTH AND PREPARATION IS DEPENDENT ON SITE CONDITIONS PLUS LOADING REQUIREMENTS.
- TRUEGRID PRO LITE PRODUCTS ARE SUFFICIENTLY RATED FOR LOW TRAFFIC H-20/HS-20 LOADING.
- GEOGRID MESH OR GEOFABRIC MAY BE REQUIRED BETWEEN SUB-GRADE & SUB-BASE FOR CERTAIN SOILS AND SITE SPECIFIC REQUIREMENTS.
- INCREASE SUB-BASE DEPTH FOR INCREASED STORM WATER DETENTION.
- NO STAKING NECESSARY WITH TRUEGRID PRO LITE WHEN SLOPE IS BELOW 20 DEGREE, ASSESS PROJECT AS NEEDED.
- TRUEGRID PRO LITE IS ADA COMPLIANT WITH PROPER FILL MATERIAL.
- FINAL ENGINEERED CROSS SECTION AGGREGATES AND DEPTH SHOULD ALLOW FOR EXPECTED INFILTRATION RATES, STORAGE CAPACITIES, OUTLET FLOW RATES, AND OTHER SITE SPECIFIC CONDITIONS AND LOAD REQUIREMENTS.
- THIS CROSS SECTION IS FOR INFORMATION ONLY.



TRUEGRID BLOCK REFERENCE VIEW

PREASSEMBLED & DELIVERED
IN 4' X 4' SHEET. RECONFIGURED
AS NEEDED. NO EXTRA TOOLING
OR ACCESSORIES REQUIRED



APPLICATION EXAMPLES:

- DRIVEWAYS
- RV PADS
- OVERFLOW PARKING

GRAVEL FILL - HEAVY LOAD

00	ORIGINAL ISSUE	JT	JT	CW	9/3/2019
REV		DRAWN	CHECKED	APPROVED	DATE
REVISION					

1-855-355-GRID (4743)		CLIENT / PROJECT			
		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		APPROVAL INFORMATION	
		PROPRIETARY DESIGN RIGHTS NOTICE: THIS DESIGN WAS ORIGINATED BY AND IS THE EXCLUSIVE PROPERTY OF TRUEGRID. IT IS DISCLOSED IN CONFIDENCE WITH THE UNDERSTANDING THAT NO REPRODUCTION OR OTHER USE OF THE INFORMATION IS AUTHORIZED WITHOUT SPECIFIC AGREEMENT IN WRITING BY TRUEGRID.		DRAWN BY: J. Thethy	DATE: 9/2/2019
				CHECKED BY: J. Thethy	DATE: 9/3/2019
		DO NOT SCALE DRAWING		APPROVED BY: C. White	DATE: 9/3/2019
		SIZE D	DRAWING NUMBER: TG-LTE-GRV-HL	REV 00	
		WEIGHT:	SCALE 1:2	SHEET 1 OF 1	


Benefits

Specs

Quote

PERVIOUS COVER

Get 100% pervious cover credit by using TRUEGRID® PRO LITE instead of asphalt or concrete. By preventing gravel from compacting, PRO LITE remains permeable to rainwater, which also may be detained in the subbase. Eliminate runoff and reduce flood risk.



GROUND STABILIZATION

No more mud, ruts or erosion when TRUEGRID® is used to stabilize your grass or gravel application.