
AHRB - MATERIALS - LIGHTING 99 MAIN STREET 5.9.23

WINDOWS - DOORS - Marvin Elevate

THE MARVIN PORTFOLIO

The Marvin portfolio consists of five product lines organized into three distinct collections defined by the degree of design detail and customization opportunities.

Marvin windows and doors offer exceptional performance, energy efficiency, low maintenance, and quality you can see, feel, and touch to help bring your vision to life.



MARVIN*

Marvin > Products > Window And Door Collections > Marvin Elevate > Elevate Swinging French Door













Elevate Swinging French Door

The Elevate[®] Swinging French Door is available with inswing or outswing motion to meet design and weather constraints. Style meets durability with a low-maintenance Ultrex[®] fiberglass exterior and warm wood interior.

- Wood interior and fiberglass exterior
- Inswing motion is for doors that open over steps or are exposed to the elements
- Outswing is for limited interior space, opening to an outdoor space without interrupting interior flow
- Fits openings up to 9' wide by 8' high

Find Marvin products in your area and request a price quote. Connect with a dealer near you to get started.

FIND A DEALER

INSTALLATION MADE SIMPLE AND EFFICIENT

INSTALLATION OPTIONS AND ACCESSORIES

Pre-attached folding nailing fin and drip cap for easier installation.

2. THROUGH JAMB

Available through jamb and installation bracket options.

3. FACTORY-APPLIED JAMB EXTENSIONS

Factory-applied jamb extensions save time and labor. We supply 4 %16", 6 %16", and 6 13/16" jamb depth in bare wood, white, designer black, or clear interior finish.

4. FACTORY-INSTALLED SCREENS

Factory-installed screens are a standard offering with operating windows. At no extra cost, we can ship your screens separately to reduce on-site damage prior to installation.

5. FACTORY MULLED ASSEMBLIES

Available standard factory mulling, reinforced factory mulling, or field mulling kits. The reinforced mull meets AAMA 450 specifications and performs up to PG50 on standard products and up to PG55 on IZ3 rated products.

6. CORNER KEYS

Integral corner keys keeps window and door units square and corners sealed.

7. CUSTOM SIZES

Custom sizes are available on windows and doors in 1/64" increments for the perfect fit every time.

8. PAINTABLE ULTREX EXTERIOR

The Ultrex® fiberglass exterior is paintable, and it holds dark colors better than vinyl or vinyl/wood composites.

















EXTERIOR TRIM

Ultrex Exterior Trim is offered with all rectangular Elevate products in all five exterior finishes. The durability, performance, and look of Marvin Elevate windows and doors can be extended to the trim.

BRICK MOULD

2" Brick Mould is available with or without 2 1/8" sill nosing.

3 1/2" Flat Trim is available in Flat and Flat Ranch configurations with or without 2 1/8" sill nosing.

SILL NOSE

2 1/8" Sill Nose provides authentic sill appearance.

CONNECTION BARB

Barb and receiver attachment method provides for quick, secure installation.









CONNECTION BARB

TRIM **CONFIGURATIONS**

Multiple configurations are available in lineal lengths and factory pre-cut kits in all five Elevate collection exterior colors.









BRICK MOULD

WITH SILL NOSE



FLAT RANCH





* Brick Mould, Flat, and Flat Ranch profiles are available on doors. Sill profiles are not included for door trim sets

HARDWARE STYLES

WINDOW HARDWARE

Windows feature classic low-profile durable hardware for clean aesthetics, safety, and security.





FOLDING HANDLE Casement and Awning



DOOR HANDLES

Door handles are available in two distinct hardware styles.




CAMBRIDGE




DOOR HANDLE OPTIONS

- Available keyed-alike option (use one key on multiple locks, with up to 3 different keys on each project).
- Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.

FINISHES



WHITE



The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion resistant finish.

PVD finish is available on exterior door hardware in Oil Rubbed Bronze, Satin Nickel, and Brass.





Marvin > Products > Window And Door Collections > Marvin Elevate > Elevate Swinging French Door













Elevate Swinging French Door

The Elevate[®] Swinging French Door is available with inswing or outswing motion to meet design and weather constraints. Style meets durability with a low-maintenance Ultrex[®] fiberglass exterior and warm wood interior.

- Wood interior and fiberglass exterior
- Inswing motion is for doors that open over steps or are exposed to the elements
- Outswing is for limited interior space, opening to an outdoor space without interrupting interior flow
- Fits openings up to 9' wide by 8' high

Find Marvin products in your area and request a price quote. Connect with a dealer near you to get started.

FIND A DEALER



Reference Projects

Products

Design and Technical Services

Tools and Downloads

Tips a

Mellowed Red Sovereign Stock



M Terca

Technical data	
Production Plant	Hartlebury
Production Method	waterstruck
Pack Quantity	430
Length x Width x Height	215 x 102.5 x 65 mm
Size Tolerance	T1

STONE CAP - Pre-cast concrete - Light Grey



COMPANY ~

WHAT'S NEW

PRODUCTS ~

COLORS & FINISHES > BROCHURES & RESOURCES >

CONTACT US

CLASSIC WALL CAP

Home > Products > Wall Cap > Classic

PRODUCTS

- → PAVERS
- **▽** STEPTREADS
- ▼ ROOF PAVERS
- **▼** WALL CAP
- **▼ CLASSIC**
- **∨** SQUARE MODULAR
- **▼** SONORASTONE®
 - **▼ PEAKED**
 - ▼ FLAT
- **→ POOL COPING**
- → DEKSTONE®
- **▼** GARDEN STEP

▼ PHOTOS ▼ SIZES ▼ COLORS ▼ BROCHURES & RESOURCES

Wall Cap by Stepstone, Inc. will change the way you finish concrete walls. Available in many standard sizes with accompanying standard radius pieces to ease installation, Stepstone's Wall Cap combines distinctive good looks with high strength, hardrock concrete. You will find that our Wall Cap is a versatile design element to refine a wall's appearance or to work perfectly as garden bench seats.

Photos

Click on the images below to view a larger display.















LIGHTING - Front - Wall Sconce



LIGHTING - Front - Wall Sconce



LIGHTING - Rear - Wall Sconce

WAC LIGHTING

Rockport

Outdoor Wall Sconce 3000K

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
O WS-W77211 11"	3000K	O AL Brushed Aluminum O BK Black	17W	1346	763

Example: WS-W77211-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

Industrial style meets nautical edginess. A look and design reliable for a pragmatic and aesthetic approach to the workplace or the home.

FEATURES

- Downlight illumination
- ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-10% ,TRIAC: 100-10%

Rated Life: 54000 Hours

Standards: ETL, cETL,IP65,Title 24 JA8 Compliant

Wet Location Listed

Construction: Aluminum body, etched acrylic diffuser




Fixture Type:

Project:


Location:

Catalog Number:

FINISHES:



LINE DRAWING:



WS-W77211

1