

VILLAGE OF DOBBS FERRY BOARD OF TRUSTEES REGULAR MEETING AGENDA

MEETING DATE: April 23, 2024

AGENDA ITEM SECTION: Public Hearings

AGENDA ITEM NO.: 1

AGENDA ITEM:

Adjourned public hearing to consider a site plan approval for property at 83 Main Street for renovation of an existing "barn" building to include commercial space on the first floor and one family dwelling on the second floor

ITEM BACKUP DOCUMENTATION:

- Memorandum dated April 2, 2024 from Lori Lee Dickson, Esq./Attorney for the Village to Mayor Rossillo and the Board of Trustees
- Memorandum dated February 5, 2024 from Valerie Monastra, AICP and Sam Justiniano/Planning Analyst to Mayor Rossillo and the Board of Trustees
- 3. 83 Main Street revised drawings
- 4. Planning Board resolution 4-2024
- 5. 83 Main Street submittal for Board of Trustees



MEMO

711 Westchester Avenue, Suite 405 White Plains, NY 10604 914-946-3700

TO:

Mayor and Board of Trustees

FROM:

Lori Lee Dickson, Esq.

RE:

Status of 83 Main Street Site Plan Review

Renovation of Existing Barn

DATE:

April 2, 2024

cc:

Robert Yamuder, Village Administrator

Valerie Monastra, AICP, Village Planning Consultant

Daniel Roemer, Village Building Inspector

Your review of the request for Site Plan Approval for the project at 83 Main Street continues this evening with the opening of the mandatory public hearing. The Dobbs Ferry Planning Board completed its review on March 7, 2024 and forwarded a recommendation, a copy of which is in your meeting materials.

I note that the applicant has not submitted any updated materials or additional information to you in response to the comments and requests detailed in the Planning Memo dated February 5, 2024. The site plans have not been updated since November 20, 2023. The open substantive topics include: (1) Parking Calculations, request for PILOP; (2) Rights to Shared Access; (3) ZBA Variance §300-52(D); (4) Fire Department Review; (5) Lighting Plan; (6) Landscaping: and (7) AHRB approval.

I recommend that the public hearing should remain open until updated documents, input and information is received.



MEMORANDUM

TO: Mayor Rossillo and Members of the Village of Dobbs Ferry Board of Trustees

FROM: Valerie Monastra, AICP

Sam Justiniano, Planning Analyst

CC: Robert Yamuder, Village Administrator

Lori Lee Dickson, Esq., Village Attorney

Dan Roemer, Building Inspector

DATE: February 5, 2024

RE: 83 Main Street

Stephen Tilly, Architect (the "Applicant" and "Contract Vendee") is seeking Site Plan approval for the renovation of an existing "barn" building to include commercial space on the first floor and one family dwelling on the second floor. Improvements include a new staircase, windows, dormers and other aesthetic improvements, but the height and overall footprint of the building will not be changed. The property is located at 83 Main Street, Section Block and Lot 3.80-40-3 ("Project Site") and is in the DB, Downtown Business, zoning district.

GENERAL AND PROCEDURAL COMMENTS

- 1. **County Board Referral.** This Project requires a notification to the Westchester County Planning Board per section 239 L, M, and N of the New York State General Municipal Law because the project is within 500 feet the Old Croton Aqueduct State Trailway.
- SEQR. This application is categorized as an Unlisted Action under SEQR because it consists of
 the renovation and changing of use of an existing accessory storage structure (barn) into a
 mixed-use building. It is recommended that the Village Board declares its Intent to be Lead
 Agency. The Applicant has submitted a Part 1 Environmental Assessment Form.
- 3. **Site Plan Approval**. This application requires Site Plan approval by the Village Board of Trustees and a recommendation to the Planning Board per Section 300-52 of the Zoning chapter. A public hearing conducted by the Village Board will be required for Site Plan approval.
- 4. **Zoning**. The project site is in the Downtown Business (DB) District. The Applicant has provided Bulk Regulations table and appears to need a variance for the rear setback of 10 feet from lots

in a residential zoning district. The building is an existing nonconformity, and the applicant is not proposing to increase the nonconformity. In accordance with § 300-52F, the applicant will need to apply to the Zoning Board of Appeals (ZBA) for this variance. The Village Board should consider referring this application to the ZBA for its review.

- 5. **Architectural and Historic Review Board**. This application will require Architectural and Historic Review Board approval.
- Local Waterfront Revitalization Consistency. The Village Board will need to make a
 consistency determination with the Village's LWRP per §300-52 (D) as part of its final Site Plan
 approval. The Applicant has provided a Coastal Consistency Form.

SITE PLAN COMMENTS

1. **Lighting.** Is the applicant proposing any outdoor lighting? A lighting plan has not been provided.

2. Site Access.

- a. How will tenants and customers access the site? The alley way looks narrow. How will that access be improved for safety and use by the public. If access is proposed from the rear of the property through the neighboring property, an access agreement needs to be provided to the Village Board for their review.
- b. It is recommended that this application be referred to the Fire Department for their review with regard to emergency access.
- 3. Payment in Lieu of Parking. In order to identify the exact number of parking spaces required for this project, the applicant should provide a calculation of the net floor area related to each use. The applicant may then request a payment in lieu of parking per Section 300-48(H)(4). The following parking standards will apply to the project:
 - a. Retail 1 space for every 500 square feet of floor area
 - b. Office 1 space for every 333 square feet of floor area
 - c. Mixed Use 1 space per dwelling unit plus .25 space per bedroom
- 4. Signage. Will there be signage on the barn and if so, please provide those details.
- 5. Survey. Please provide a stamped survey of the property.

SUBMISSION MATERIALS



The following materials were submitted by the Applicant and examined by our office for the preparation of this review:

- Land Use Approval Application by Stephen Tilly, dated January 22, 2024.
- Short Environmental Assessment Form, Part 1, by Stephen Tilly, dated January 23, 2024.
- LWRP Consistency Review Coastal Assessment Form, not signed and undated.
- Survey by Summit Land Surveying, dated March 11, 2021.
- Engineering Plan Set by Building Structural Engineering Services LLC< dated October 20, 2017, including:
 - o S-1 Foundation Plan, Sections, Details and General Notes
 - o S-2 Roof Framing Plan, Sections, Details and General Notes
- Architectural Plan Set, by Stephen Tilly, dated July 1, 2023, last revised November 20, 2023, including the following:
 - o T-100 Title Sheet
 - o A-100R Plans & Sections
 - o A-200R Elevations



LOCATION PLAN



LIST OF DRAWINGS

NHEER	TILE	DATE	ISSUED
T-100	TITLE SHEET	JULY 1, 2023	AFR. 12, 2024
	TOPOGRAPHICAL SURVEY	MARCH II, 2021	
A-100	PLANS & SECTIONS	JLY I, 2023	AFR: 12, 2024
A-200	ELEVATIONS	JLY (2023	AFR. (2, 2024
5-1	FOLKDATION PLAN, DETAILS, NOTES	OCT. 20, 2011	
5-2	ROOF FRAMING PLAN, DETAILS, NOTES	APRIL 26, 2021	rev. 1/20/2025

FOR DEMOLITION SEE SHEET D-IOO AS SUBMITTED AND APPROVED IN PHASE I FOR THE STABILIZATION OF THE THAT TRAILTY BARN FER BUILDING PERMIT BP2023-0232, ISSUED IO/07/2023

Climatic and Geographic Design Criteria

64000		HND DESIGN		SEISMC	ISMC DAHAGE FROM		HINTER DESIGN	RADDED	FLOOD	AR	MEAN		
LOAD	AD SPEED TOPO AD SPEED TOPO SPEED TOPO	TOPO.		DEBRIS		HEATH	EROST LINE DEPTH	TERMIE	TEMPO	REGURED	HAZARDS	MOEX	TEMP.
50 bs/	30 mph	NO	SPECIAL HIND RESION	МО	c	SÉV.		HOD. TO HEAVY:	7	125	N.	(500 OR LESS	510 F

Insulation / Fenestration w TABLE BAGZIZ

CLIMATE ZONE	FENESTR, U-FACTOR	SKYLIGHT U-FACTOR	6LAZED FENESTR. 5HGC	CELING R-VALUE	HOOD FRAME HALL, R-VALUE	MASS HALL R-VALUE	R-VALLE	BASEMENT HALL, R-VALUE	R-VALLE	CRANE SPACE HALL, R-VALIE
4.4	032	055	0.40	49	20 0R 13 + 5ci	8/13	10	10/13	10 / 2 /t	10/13

LIST OF ABBREVIATIONS

AC:	AIR CUNDITIONING	MIN	MININE M
ADI	ADSTABLE	MISC	MISCHLIANIDUS
AFF	ABOVE PINISHED FLOOR	MO	MATCHET OPENING
ARCH	ARCHITECTURAL/ARCHITECT	NIC.	MOT IN CONTRACT
8D	ROARD	NIS	NOT TO SCALE
BLEKE	BUILDING	OPNS	OPENING
BTM	BOTTUM	PA.	PROPERTY LINE
CLO	CHILING	PSF	POLINDS PER SOLIARE FOOT
CLGST	CEILING HEIGHT	PS1	POLINDS PER SOLARE INCH
CMU	CONCRETE MASONRY UNIT	PTD	PAINTED
COL	COLUMN	OTY	QUANTITY
CON:	CONCRETE	REINE	RESNEURCED
CONT	CONTINUOUS	RECO	REQUIRED
CTR	CENTER	RM	ROOM
DN	DOWN	RO.	RGCGH OFFNING
090	DEAWING	SIM	SIMILAR
HEFY	ELEVATION	\$99C2	SPECIFICATIONS
RQ C	RQEAL.	SOFT	SQUARE POSTPEET
EQUIP :	EOLEPMENT	12	STREET
EXIST	EXISTING	\$11.	STERL
EAT	EXTERIOR.	STRLET	
FLR	FLOOR	SLEEPER	D. R. FLOOR
PT.	POUTFEET	TAG	TONGLE AND GROUVE
FTG	POUTING	TYP	TYPICAL
GA	DATIGE	VENT	VENEVENDLADON
CALV	CALVANIZED	VERT	VERTICAL.
GC.	CENERAL CONTRACTOR	ViF	VERBY IN PELD
CYPSD	GYPSEM WALL BOARD	VOL	VOLUME
HORIZ	HORIZONTAL	W	WITH
RVAC	HEATING VENTILATING & A.C.	W/O	WITHOUT
DALL	INSULATION	W3	W000
INT	INTERIOR	WWI	WELDED WIRE FARRIC

RENOVATION OF THE

TMKT REALTY BARN

83 MAIN STREET DOBBS FERRY, NEW YORK 10522

PROPERTY OF:


TMKT REALTY 42 LANDING DRIVE DOBBS FERRY, NEW YORK 10522

ARCHITEC

STEPHEN TILLY, ARCHITECT 22 Elm Street

Dobbs Ferry, New York 10522 email: officc@stillyarchitect.com tel. (914) 693 - 8898 fax (914) 693 - 4235

ISSUED for BUILDING PERMIT Revision APRIL 12, 2024



ZONING ANALYSIS

Owner: TMKT Realty Address: 83 Main Street DOBBS FERRY, 1	EH YORK 10522	Survey by Sweet Land Surveying P.C. 21 Drake Lane White Plains, NY 10607 Phone: (944) 462-1758				
Zoning District: DB		Survey Date: March 21, 202				
Parcel ID: 350-40-3	Section 3	BO Block	40 Lot- 3			
	Required	Existing	Proposed			
Use	Mixed like	Storage/Workshop Mixed Use				
Minimum Let Size						
Hidth	N/A	73.47 ft.	Unchanged			
Depth	N/A	120 ft	Unchanged			
Area	N/A	BB16 s1	Unchanged			
Maximum Lot Coverage	25% (1053 s.f.)	45.40 8.00 31				
Maximum Building Area 25%, (1,053 s.f.		55.6% (5,001 51)	Uhchanged			
Bern Building						
Maximum Height	40.81	223 It	Unchanged			
Neither of Stories	3 stories	2 stories	Unchanged			
Sethocks - Front	Oft	945 lt	Unchanged			
		0/24 ft				
Side (min.)	0.11					
	Oft.		Unchanged			
Side (min.)		24 ft. Oft (pre-existing non-conforming)	Unchanged Unchanged Unchanged			
Side (min.) Side (total) Rear	Oft.	24 ft. Oft fpre-existing	Uhchanged			
Side (min.) Side (total)	Oft. 10 ft. From adjacent residential fone per Studio Apt 0 needed for exist.	24 ft. Oft fpre-existing	Uhchanged Uhchanged			
Side (min.) Side flotal) Rear Parking Requirement Number of Society	0 ft. 10 ft. From odjacent residential zone	24 ft. Oft (pre-existing non-conforming)	Uhchanged			

FIRE DEPARTMENT REFERRAL:

SITE ACCESS TO THE BARN FOR THE FIRE DEPARTMENT APPROVED BY THE DOBBS FERRY FIRE DEPARTMENT PER SITE VISIT & EMAIL 4/12/2024

PLANNING BD./AHRB REFERRAL

NOTE PER ABOVE SITE PLAN APPROVAL NOT REQUIRED PER 300-52: HOWEVER ARRB AND SITE PLAN REVIEWED AT MARCH THE METING AND UNANIMOUSLY RECOMMENDED FOR APPROVAL TO BOT BY PBYAHRB

Residential and Existing Building Code Compliance

I DO HEREBY CERTIFY THAT THE PLANS AND SPECIFICATIONS CONTAINED HERENITHIN, TO THE BEST OF MY KNOWLEDGE, BELIEF AND PROFESSIONAL JUDGEMENT COMPLY WITH THE 2020 RESIDENTIAL CODE OF NEW YORK STATE, AND THE 2020 EXISTING BUILDING CODE OF NEW YORK STATE

STEPHEN R TELLY, ARCHITECT

4/12/2024

Energy Code Certification

I DO HEREBY CERTIFY THAT THE PLANS AND SPECIFICATIONS CONTAINED HEREBITHIN, TO THE BEST OF MY KNOWLEDGE, BELIEF AND PROFESSIONAL JUDGEMENT COMPLY WITH THE 2020 ENERGY CONSERVATION CODE OF NEW YORK STATE,

Type Tile

4/12/2024

STEPHEN TILLY, Architect

22 Elm Street Dobbs Ferry, New York 10522 Tel: (914) 693-8898 Fax: 693-4235 E-mail: office@stillyarchitect.com

STRUCTURAL ENCORPER

RSES
40 Stakes Farm Rd
Montempore, CT Stakes
TRL crests 620-1777 Far (2007-628-92)

1 (2 Apr 24 Revision No Date Issued Fo Revisions:

> 12, 2024 Revision to Building Per 20, 2023 Issued for Building Per Issued For

ect: TMKT REALTY BARN - RESTORATION

83 Main St Dobbs Ferry, NY 10522


Date: July 1, 2023
Title: TITLE SHEET


Scale: As noted Drawn by: ah



TITLE SHEE

T-100





STEPHEN TILLY, Architect

22 Elm Street
Dobbs Ferry, New York 10522
Tel: (914) 693-8898 Fax: 693-4235
E-mail: office@stillyarchitect.com

STRUCTURAL ENGINEER
BSES
40 February From Rel
Freshmaten. CT 196-509
TEL 18600 825-4177 Fig. (8600 825-4219)

Revisions

Revision to Building Permi Iround for Building Permit Nov. 20, 2023

TMKT REALTY BARN - RESTORATION


83 Main St Dobbs Ferry, NY 10522


July 1, 2023 PROPOSED PLANS & SECTIONS

As noted



PLANS & SECTIONS







5 EXTERIOR LIGHT SPECS

GENERAL NOTES

- ALL DIMENSIONS TO NEW ROUGH FRAMING OR TO FINISHED SARFACE OF EXISTING BULDING UNLESS OTHERWISE MOTED.
 DO NOT SCALE DRAMINGS. USE HRITTEN DIMENSIONS OR VERIET WITH ARCHITECT.
- 3. THE CONTRACTOR SHALL VERIET ALL DIPERSIONS, LAYOUT CONSTRUCTIONS, AND EXISTING CONDITIONS IN THE FIELD AND SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCES DEFCRE SHATTING MORE. A PLUS / MINES (4/-) INDICATES DIPERSIONS FRICH MAY VARY.

STEPHEN TILLY, Architect

22 Elm Street
Dobbs Ferry, New York 10522
Tel: (914) 693-8898 Fax: 693-4235
E-mail: office@stillyarchitect.com

STRUCTURAL ENGINEER
BSES
-0 Sukey Feet RJ

1 12 Apr 24 Revision No. Date Issued For Revisions:

April 12, 2024 Revision to Building Pernot Nov. 20, 2023 Issued for Building Pernot Date Issued For

Project: TMKT REALTY BARN - RESTORATION

> 83 Main St Dobbs Ferry, NY 10522

Date: July 1, 2023
Title: PROPOSED ELEVATIONS

Scale: As noted

Drawn by: ah



A-200

C STEPHEN TILLY, Andrew

GENERAL NOTES:

1) THE FOLLOWING REQUIREMENTS ALDING WITH THE DRAWINGS AND PROJECT SPECIFICATIONS SHALL BE CODRIDINATED AND SHALL APPLY TO THIS STRUCTURE AND DITHER REQUIRED ASSOCIATED WORK.

2) ALL WORK, TESTING, MATERIALS, ETC. SHALL BE IN ACCORDANCE WITH THE "BUILDING CODE OF NEW YORK STATE 2013" AND ALL GOVERNMENTAL AGENCIES HAVING JURISDICTION.

3) IF ANY FIELD CONDITIONS PRECLUDE COMPLIANCE WITH THE DRAWINGS AND/OR CONDITIONS SPECIFIED. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ARCHITECT/PROJUNCE AND SHALL NOT PROCEED WITH ANY WORK THAT WOULD BE AFFICED UNTIL FORMALLY DIRECTED BY THE ARCHITECT/PROJUNCE FOR THE PROPERTY OF THE PROJUNCE.

4) THE CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND DINKISSIONS IN FIELD PRIOR TO THE FARRICATION AND ERECTION OF MAY MATERIAL MAY UNUSUAL CONDITIONS OR DISCREPANCIES SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE ARCHITECT/ENGINEER

5) ALL SHOP DRAWINGS FOR STRUCTURAL STEEL INDICATING THE FABRICATION MANUAR CLUSER, FINISH, LATIDIT, AND ALL ACCESSIBLES MUST FABRICATION. AND ALL ACCESSIBLES MUST EXCLUSE THE MANUAR CLUSER MUST BE ADMINISTED THE ASCRIPTED TO REVIEW PRIDE TO FABRICATION SEE SPECIFICATIONS FOR SHOP DRAWING SUBMITTAL ADDITIONAL ROUNTEMNTS.

6) INCORPECTLY FABRICATED, DAMAGED OR DIHERVISE MISALICHED OR ADMI-CIMP DRAWLEDW DRAWLS MALL BE REPORTED TO THE ADMI-CIMP DRAWLEDW DRAWLEDW DRAWLEDWISE MALL BE REPORTED TO THE ALL IT CORPECTIVE DRAWLED DRAW

73 THE STRUCTURAL DRAWINGS SHALL BE CORDINATED WITH THE ARCHITECTURAL, HIZPY DRAWINGS (INCLUDING ALL CINTRACT SHOP BRAWINGS) AND COURTEN THAN ARCHITECTURAL TO EXSIST THAT DEPAINGS, ANCHORS, BYSERYS, SLEEVES, ATTACHENTS, ETC. ARC PROVIDED AS RECORDED FOR OTHER DETAILS OF THE WIRK ARE SHOWN ON THE THESE BRAWINGS AND SHOULD BE CAREFULLY REVIEWED BY THE CONTRACTOR TO FOLLY COMPREHEND THE FOLL SCOPE OF WIRK.

B) THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING AND CODEDINATING ALL DIMENSIONS WITH THE ARCHITECTURAL AND MYEAP DRAWINGS. IN CASE OF COMPLICT, THE CONTRACTOR SHALL IMMEDIATELY REQUEST A CLARIFICATION FROM THE ARCHITECT.

9) THE CONTRACTOR SHALL MAKE NO DEVIATION FROM THE DESIGN DRAWINGS WITHOUT PRIOR WRITTEN APPROVAL FROM THE ARCHITECT.

10.) IN CASE OF CONFLICT BETWEEN NOTES, DETAILS AND SPECIFICATIONS, THE MOST STRINGENT REQUIREMENTS SHALL GOVERN.

FOUNDATION AND EXCAVATION

1) DESIGN PRESUMPTIVE SDIL BEARING PRESSURE = 3,000 PSF. ALL NEW FOOTINGS SHALL BEAR ON UNDISTURBED SDIL.

2) THE BOTTOM OF ALL EXCAVATIONS SHALL BE INSPECTED BY LOCAL

3) ALL WATER AND UNSUITABLE MATERIAL SHALL BE REMOVED FROM THE BOTTOM OF THE EXCAVATION BEFORE PLACING CONCRETE.

4.) FOOTINGS NOT FOUNDED UNDISTURBED VIRGIN SOIL SHALL BE PLACED ON COMPACTED GRANULAR FILL.

5) ALL EXISTING CONDITIONS DEPICTED ON THE DRAWINGS ARE BASED ON LIMITED FIELD DISSERVATIONS ANY UNUSUAL CONDITIONS OR DISCREPANCES SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE EMPLINED.

c) CRUSHED STONE SHALL BE OF MATERY SZELESTED AND BE CRUSHED FROM BRAAL FOR DRAFF ROCK. FITTER FABRIC SHALL BE PLACED BETTER THERE DAMRIER INCH CRUSHED STONE AND EXISTING SQL. THIRE DISTINCT, OR RUSHED STONE CAN BE PLACED AGAINST EXISTING SQL. WHITED INTEREST. CRUSHED STONE LAYERS SHALL BE PLACED IN MAXIMUM OF 18" LIFTS BEFORE COMPACION. TESTING IS NOT REQUIRED FOR CRUSHED STONE COMPACION.

7) THE COMPACTION EFFORT FOR CRUSHED STONE LAYERS OF UNIFORM SIZE SHALL BE WITH 6 PASSES OF A WBRATORY PLATE COMPACTOR HAVING A WINMOUD DIVAMUE FORCE OF 1,000 POUNDS, OR EQUIVALENT, IN TIGHT SPACES ONLY, GENERALLY AT THE BASE OF EXCAVATION A "JUMPING JACK" TYPE

GRADE PROVIDE OPENINGS -BETWEEN MASONRY BLOCKS FOR GROUT WORK BEHIND WALL

EXCAVATION

SECTION
SCALE: 3/4" = 1'-0"

COMPACTED-BACK FILL 78

64

-|83.

1

1'-4"

CONCRETE MASONRY

10 ALL CONCRETE BLOCK SHALL BE NORMALVELOHT HOLLOW LOAD BEARING MADDRAY UNITS UNLESS DIFFERNISE NOTED ON THE DRAWINGS CONFORMING TO ASTEN CO. CLASSIFICATION D-2, WITH A MININUM MADDRAY COMPRESSIVE STRENOH OF 1,500 PSI ON THE NET AREA OF THE UNITS MINIMUM COMPRESSIVE STRENOH OF 1,500 PSI ON THE NET AREA OF THE UNITS MINIMUM COMPRESSIVE STRENOH OF DEC. 1,900 PSI.

2) ALL MORTAR SHALL BE TYPE M AND CONFORM TO ASTM C270

3) CDARSE GROUT USED IN PILASTERS AND WALLS SHALL CONFORM TO ASTM C476. USE DNE PART PORTLAND COMENT, THREE PARTS, DRY LODGE SAND, 15 PARTS PEA CRAVEL AND THE MINIMUM AMOUNT OF WATER TO PRODUCE A WORKARLE MIX.

4.) CEMENT USED IN MORTAR SHALL CONFORM TO ASTM C150.

5) ALL REINFORCING BARS SHALL BE DEFORMED BILLET STEEL CONFORMING TO ASTM A615, GRADE 60. JOINT (HORIZONTAL) REINFORCEMENT SHALL BE DUR-D-WALL TRUSS TYPE DR APPROVED EQUAL.

6) MASDNRY SHALL NOT BE CONSTRUCTED IN TEMPERATURES BELOW 40°F PRIDVIDE A HEAT SOURCE AND PROTECTION AS REQUIRED TO MAINTAIN TEMPERATURE ABOVE 40°F

73 ALL CELLS WITH REINFORCING BARS OR BOLTS SHALL BE GROUTED SOLITO.

8) VERTICAL CELLS TO BE GROUTED SOLID SHALL HAVE A MINIMUM CLEAR OPENING OF 3"x2-1/2.

93 HOLLOW UNITS SHALL BE LAID WITH FULL MORTAR COVERAGE ON THE HORIZONIA. AND VERTICAL FACE SHELLS EXCEPT THAT WEBS SHALL ALSO AND CRETICAL OF THE SHAPE OF THE SHAPE COURSE OF THE SHAPE SOLID FOUNDATION WALLS, AND IN NON-PERMIT COURSES WITH TOTAL SHAPE SOLID FOUNDATION WALLS, AND IN NON-PERMIT SHALL BE LAID VY FOLL. HEAD & BED JOINTS

10) CONSOLIDATE GROUT POURS EXCEEDING 12" IN HEIGHT BY MECHANICAL VIBRATION AND RECONSOLIDATE BY MECHANICAL VIBRATION AFTER INITIAL WATER LOSS AND SETTLEMENT HAS DECURRED

11) ALL AUTHORIZED CUTTING AND FITTING OF MASDRRY, INCLUDING THAT REDUIRED TO ACCOMMODATE THE WORK OF DTHER TRADES, SHALL BE DONE WITH MASDRRY SAVS.

12) M/E/P LINES SHALL NOT BE RUN IN ANY HORIZONTAL MASONRY WALL JOINTS, VERTICALLY IN ANY REINFORCED OR GROUTED HASONRY CELLS, NOR UNDER AND PARALLEL TO ANY LOAD BEARING CMU WALLS.

13) ALL MASDNRY WORK, MATERIALS, INSPECTIONS, TESTING, ETC. SHALL CONFORM WITH THE REQUIREMENTS OF THE (BUILDING CODE OF NEW YORK

EXISTING WALL SIMPSON TITEN HD 3"0x14" SCREW ANCHOR @ 4"-0"DC (MODEL NO. THD50140DH)

-DEMO EXISTING RUBBLE 2-#4 CONTINUOUS FOUNDATION WALL (24" SPLICE LENGTH)


EXISTING CONCRETE SLAB- THICKNESS VARIES 4" TO 10" VIF

> MASONRY GROUT FILL WITH & PEA GRAVEL OR MASONRY


8" NORMAL WEIGHT CONCRETE BLOCK, ALL CORES FILLED SOLID WITH GROUT AND JOINT REINFORCEMENT @ 16" OC VERTICAL TYPICAL

LINE OF EXCAVATION

#4 REINFORCEMENT &







NOTE:

1) GC TO VERIFY IN FIELD (VIF) ALL SECTIONS.

a) PHASE CONSTRUCTION IN B' INTERVALS TO TO MAINTAIN SOIL

b) SHORE INTERIOR BEAMS DURING FOUNDATION WALL CONSTRUCTION

2) SUGGESTIONS

(2) NEW 8" MASONRY NEW FOOTING LINE SHORE BEAMS AT THE SECOND FLOOR LEVEL AS REQUIRED 49'-D"

1 FOUNDATION PLAN




BsEs Building Structural Engineering Services LLC



HARTNETT DOUBLEDAY BARN 83 MAIN STREET DORBS FERRY, NY 10522

FOUNDATION PLAN. SECTIONS DETAILS AND GENERAL NOTES

NOTED 10/20/1 S-1 Drawing Dy 1672 eched By 16's





VILLAGE OF DOBBS FERRY 112 Main Street Dobbs Ferry, New York 10522

TEL: (914) 231-8500 • FAX: (914) 693-3470

RESOLUTION 4-2024

VILLAGE OF DOBBS FERRY PLANNING BOARD RECOMMENDATION RESOLUTION

Property: 83 Main Street (Section Block and Lot 3.80-40-3 and DB Zone)

Background

WHEREAS, Stephen Tilly, Architect (the "Applicant" and "Contract Vendee") is seeking Site Plan approval from the Village Board of Trustees for the renovation of an existing "barn" building to include commercial space on the first floor and a one-family dwelling on the second floor. The property is located at 83 Main Street, Section Block and Lot 3.80-40-3 ("Project Site") and is located in the DB, Downtown Business, zoning district; and;

WHEREAS, this application was referred to the Planning Board by the Village Board of Trustees for a recommendation; and

WHEREAS, The Planning Board has carefully examined the Application and the Applicant's materials as follows:

- a. Land Use Approval Application, dated January 22, 2024
- b. LWRP Consistency Review Coastal Assessment Form, undated
- Short EAF form Part 1, dated January 23, 2024
- d. Engineering Plan Set by Building Structural Engineering Services LLC, dated October 20, 2017
- e. Architectural Plan Set by Stephen Tilly, dated July 1, 2023, last revised November 20, 2023

WHEREAS, the Planning Board has also reviewed and examined letters, reports, and memorandum from the Board's consulting engineer and planner; and

WHEREAS, the Planning Board deliberated in public on the Applicant's request for recommendation.

Planning Board Determination

NOW, THEREFORE, BE IT RESOLVED, the Planning Board recommends that based upon the plan presented to the Planning Board, the applicant should continue their proceedings before the Village Board of Trustees for its proposed site plan approval.

Motion By: Chairman	Hunter		Sec	conded by: Allen	Hale
CHAIRMAN STEPHEN HUNTER		□ NAY	☐ ABSTAIN	RECUSE	☐ ABSENT/EXCUSED
STEPHEN BROSNAHAN	☐ AYE	☐ NAY	☐ ABSTAIN	RECUSE	
ROB LANE		☐ NAY	☐ ABSTAIN	RECUSE	☐ ABSENT/EXCUSED
ALLEN HALE		□ NAY	☐ ABSTAIN	RECUSE	☐ ABSENT/EXCUSED
LAURA HAUPT		☐ NAY	☐ ABSTAIN	RECUSE	☐ ABSENT/EXCUSED
PETER WINDER, 1 ST ALTERNATE MEMBER	☐ AYE	☐ NAY	☐ ABSTAIN	RECUSE	☐ ABSENT/EXCUSED
VOTE TOTALS	4 AYE	□ _{NAY}	ABSTAIN	RECUSE	2 ABSENT/EXCUSED
RESULT: MOTION: PASSES					

I hereby attest that the above Resolution was approved by the Planning Board at its March 7, 2024 meeting, and that I have been authorized to sign this Resolution by decision of the Planning Board.

Chairman Stephen Hunter

Date: March 18, 2024

STEPHEN TILLY, Architect

Transmittal:

Date: 1/23/2024

Village of Dobbs Ferry

112 Main Street, To:

Dobbs Ferry NY 10522

Tel: (914) 231 - 8509

From: Andreas Hubener

Project:

STA job # 2026 TMKT Realty Barn Restoration, 83 Main St.

We are sending the following:

- 2026 Barn BoT Application Transmittal 1-23-2024

- (5) copies of Land Use Approval application, Short Environmental Assessment Form, Coastal Assessment Form & Zoning Map detail

- (5) copies of building permit drawings (permit application A2023-0526), dated 11/20/2023, signed & sealed - Building permit application form

- Thumb drive with submittal documents and plans

Notes:

Let us know if you have any questions,

A. Hubener



Village of Dobbs Ferry Land Use Approval Application

Name of Proposed Development Hartnett Renovation of Existing Barn Building
Applicant:
Name Stephen Tilly Stephen Tilly, Architect
Address 22 Elm Street, Dobbs Ferry, NV 10522
Name Stephen Tilly Stephen Tilly, Architect Address 22 Elm Street Dobbs Ferry, My 10522 Telephone 914-693-8898
Email Address office @ stilly architect. com
Plan Prepared by:
Name Stephen Tilly Stephen Tilly, Architect Address 22 Elm Street, Dobbs Ferry, NY 10522 Telephone 914-693-8898
Address 22 Elm Street Dobbs Ferry NY 10522
Telephone 914-693-8898
Email Address Office & stilly architect. com
Request for Site Plan Subdivision Special Permit
Architect (Contact Information) Stephen Tilly, Architect, 914-693-8898
Engineer (Contact Information) N/A office astilyarchitect. esm

Owner (if different from Applicant)
Name TMKT Realty Corp.
Address 42 Landing Drive, Dobbs Ferry, NY 10522
Telephone 203 - 253 896 7
Ownership intentions, i.e. purchase options N/A
Property Information
Location of site 83 Main Sheet, Dobbs Ferry, Ny 10522
Tax map description:
SheetBlockLot/Parcel3.80-40-3
Current Zoning Classification MIXEA U.S.C.
Description of Project Renovation of existing Bann Building
- Commercial space on first floor (current use)
- Apartment on second floor/roof
- Renovation includes new staircase windows, dormers
- Footprint and height are unchanged
- Added 105 sf. @ 5ft. above finished floor (AFF) + greater
Signature of Applicant, if Owner or Signature of Owner Kenn 4 outnet
Date //aa/a%

Submittal Requirements

Plans attached are submitted at the direction of the Building Inspector for review by the following board (check all that apply):

☑ BOT- 1 PDF copy + 5 paper copies ¼ scale☐ PB - 1 PDF copy + 4 paper copies ¼ scale

In addition, a Short Environmental Assessment Form and Coastal Assessment Form must be submitted with each application.

Submittal Deadlines

Planning Board and Board of Trustees: All new applications must be received by the calendar marked deadline, 15 business days before the meeting. Items that were adjourned from the previous meeting must be submitted 10 business days before the meeting date.

All submissions and documents must be submitted to the Building Department.

Site Development Plan Review

Checklist

Technical Considerations:	<u>item Satistied</u>
North Arrow, Scale date	<i>X</i>
Property boundary, dimensions and angles	X
Easements and deed restrictions	
Names, locations and widths of adjacent streets	X
Land use, zoning, ownership and physical improvement	
of adjacent properties	
List of Required Plans for Approval:	•
Survey	X
Existing Conditions Plan with Topography	X
Site Plan with Zoning Table	X
Landscaping Plans	N/A
Tree Removal Plan	N/A
Lighting Plans	TBD
Architectural Plans	
Materials Specifications	X
Erosion and Sedimentation Control Plan	NA
Grading and Drainage Plan with Topography	N/A
Stormwater Plan	N/A
I Itilities Plan	Existing Utilities

Other Site Plan Elements:

Building & Structures	<u>X</u>
Natural Features	X
Wetlands	N/A
Hydrologic Features	NA
Floodplains	N/A
Development Features	N/A
Vehicular and Pedestrian ways including ingress and egress	X
Site Improvements such as parking, storage, and recreation areas	N/A
Signs	N/A
Outdoor lighting and public address systems	N/A

Restoration Specifications

SIDEWALKS: In the case of sidewalks, each slab of concrete cut or damaged by the opening shall be

replaced by new concrete, and no patching will be permitted.

ROADWAYS: On streets paved with blacktop or macadam, the existing pavement shall be cut back

eighteen (18) inches beyond the original cut and the entire area repaved with blacktop

or macadam to a depth of 2".

On streets paved with concrete or with a concrete base, the existing pavement shall be cut back twenty-four (24) inches beyond the original cut and the entire area repaved with concrete to match the existing street pavement.

Where an excavation is in a public roadway, the trench shall be filled to the level of the roadway with a 50 PSI K-crete or equivalent (cap-crete, etc.) For final restoration, the road shall be cut back as directed above, and the finished pavement shall be installed.

CURBS AND

DRIVEWAYS: Curbs shall be 16" stone or 18" concrete, with a 6" reveal. Where a curb

crosses a driveway, a minimum 1 1/2" reveal is required to the finished pavement

Standards for Building Permit

The items listed below should be reviewed by the applicant's design professional to aid in providing a complete submission.

SITE PLAN INFORMATION

- 1. X 24" x 36" maximum drawing size
- 2. X Minimum scale: (1" = 30")
- 3. X Project Name
- 4. X Name and address of engineer and surveyor
- 5. X Name and address of owner of record and applicant
- 6. _X_ Drawings signed and sealed by P.E. or R.A.
- 7. X Original drawing date & revision dates
- 8. X Tax map section and lot numbers
- 9. X Location plan with existing and adjacent zoning district
- 10. X Scale, north arrow, date of survey, property acreage, drawings numbered (i.e., 1 of 3, etc.)
- 11. X Minimum yard setbacks
- 12. X Provide bulk zoning table with all existing, proposed, and required conditions
- 13. M/A Estimated quantity of cut or fill to be imported or removed from site
- 14. X Topography at two feet maximum intervals
- 15. X Topography along streets adjacent to property
- 16. X Existing conditions.
- 17. MA Total amount of site area disturbed

DRAINAGE

- 1. **NA** Collect and convey driveway runoff.
- 2. Roof drains to discharge to existing or proposed drainage system.
- 3. **MA** Surface inlets provided where low points cannot be graded to drain
- 4. MA Swale provided between buildings and embankment which slopes toward building
- 5. A/A Culverts provided where roads or driveways cross watercourses
- 6. MA Catch basin spacing adequate
- 7. N/A All rim and invert elevations provided
- 8. <u>M/A</u> 2 feet minimum cover of storm drains in roads, driveways, and parking areas. 18 inch minimum elsewhere
- 9. **\(\lambda / A \)** Drywells provided with emergency overflow outlet pipes to grade. Multiple drywell systems should be connected by equalization pipes with rim and invert elevations posted
- 10. N/A Minimum storm drain pipe size 15" diameter
- 11. MA Headwalls or end sections provided at pipe inlets and outlets
- 12. MA Rip-rap provided at headwalls and end sections
- 13. MA Provide cross section for pond or detention facility

SITE INGRESS/EGRESS

- 1. X Adequate sight distance at driveway intersection with road
- 2. X Site accessible to fire trucks, emergency vehicles, tractor-trailers for fill deliveries, etc.
- 3. X Backup space for parking area
- 4. X Driveways intersecting existing road at 90 degrees

SITE GRADING

- 1. All proposed grading on property. Show limit line of disturbance.
- 2. MA Driveway platform sloped at 4% maximum within 25 feet of centerline of street or within 35 feet from the Right-of-Way, whichever is the greater distance.
- 3. M/A Driveway slope 14% maximum.
- 4. N/A Parking area 5% maximum.
- 5. N/A Paved areas 1 % minimum grade at curb line.
- 6. N/A Lawn area 2% minimum.
- 7. MA Top and bottom of retaining wall elevations provided.
- 8. N/A Outside grade pitched away from residence.
- 9. N/A Guide rail provided at steep drop offs.
- 10. MA Spot elevations at comers of residence and parking area where necessary to ensure positive drainage.
- 11. X Finished floor elevations provided including basement.
- 12. N/A Plans and calculations for walls ≥ 4 feet Signed & Sealed by P.E., R.A.
- 13. **M/A** Provide profiles of proposed roads with vertical geometry.
- 14. /// Provide horizontal geometry.

GENERAL

- 1. X Show existing and proposed utilities (water, sewer, etc.)
- 2. **NA** Show snow piling areas.
- 3. MA Show refuse areas with enclosures
- 4. MA Show zoning map with districts (school, fire, etc.)
- 5. MA Show signage.
- 6. **M/A** Show landscaping.
- 7. M/A Provide sections and details of retaining walls
- 8. **M/A** Provide phasing plan for areas over 5 acres.
- 9. **K/A** Provide lighting plan.
- 10. M/A Maintain low noise level at property line.
- 11. **MA** ADA compliance

MISCELLANEOUS ITEMS

- 1. Proposed easements
 - a. **NA** Temporary construction
 - b. X Drainage
 - c. MA Sight
 - d. X Slope
 - e. X Driveway access
- 2. WA Existing sanitary disposal system in the vicinity of construction activity protected with temporary fencing.

SITE PLAN NOTES

- 1. General construction notes.
- 2. Construction Sequence shown on plans.
- 3. The following notes shall be provided on the plans:
- Should rock blasting be required, a permit application in accordance with Chapter 125 Blasting
 and Explosives of the Village of Dobbs Ferry Code must be submitted to the Village by the
 applicant for review/approval.
- The Village Engineer may require additional erosion control measures if deemed appropriate to mitigate unforeseen siltation and erosion of disturbed soils.
- Built plans of the proposed driveway and drainage improvements shall be submitted to the
 Village Engineer for review prior to issuance of Certificate of Occupancy.
- Fill material imported to the site shall be certified in writing by a New York Licensed Professional Engineer as clean, non-contaminated fill suitable for the intended use.
- "Before the site plan is signed by the Chairman of the Planning Board, the applicant shall be required to post a performance bond or other type of acceptable monetary guaranty which shall be in an amount determined by the Planning Board and the Village Engineer and in a form satisfactory to the Village Attorney".

The following notes shall be provided on plans that involve SWPPP's:

- The applicant shall notify the Building Department Village's Consulting Engineer in writing at least 48 hours before any of the following so that any inspection may be performed.
 - 1. Start of construction
 - 2. ____ Installation of sediment and erosion control measures.
 - Completion of site clearing.
 - 4. ____ Completion of rough grading.
 - 5. Ipstallation of SMP's.
 - 6. Completion of final grading and stabilization of disturbed areas.
 - Closure of construction.

8.	Completion of final landscaping; and
9.	Successful establishment of landscaping in public areas.

"The owner or operator shall have a qualified inspector inspect and document the effectiveness of all erosion and sedimentation control practices and prepare inspection reports at least once a month. These reports must be kept on site and available for review".

Short Environmental Assessment Form Part 1 - Project Information

Instructions for Completing

Part 1 – Project Information. The applicant or project sponsor is responsible for the completion of Part 1. Responses become part of the application for approval or funding, are subject to public review, and may be subject to further verification. Complete Part 1 based on information currently available. If additional research or investigation would be needed to fully respond to any item, please answer as thoroughly as possible based on current information.

Complete all items in Part 1. You may also provide any additional information which you believe will be needed by or useful to the lead agency; attach additional pages as necessary to supplement any item.

Part 1 – Project and Sponsor Information							
Hartnett Renovation of an Existing Barn Building Name of Action or Project:							
Name of Action or Project:							
83 Main'street							
Project Location (describe, and attach a location map):							
map included							
Brief Description of Proposed Action:	4						
- Commercial space on first floor (current	رعادي						
Brief Description of Proposed Action: -Commercial space on first floor (current -Apartment on second floor/roof							
-Kenovation includes her staired of	aormers						
-Footonnt and neight unchangea							
-Add 105sf @ Speet above finished floor (177)+greater	•					
	0						
Name of Applicant or Sponsor:							
<u> </u>	Telephone: 914-6	693-8898					
Stephen Tilly, Architect Address: 22 Elm Street City/PO: Dobbs Ferry	E-Mail: o-fice @)s	stilly architect.es					
Address:		•					
2d Elmstreet							
City/PO:	State:	Zip Code:					
Dobbs terry	NY	10322					
 Does the proposed action only involve the legislative adoption of a plan, loc administrative rule, or regulation? 	al law, ordinance,	NO YES					
If Yes, attach a narrative description of the intent of the proposed action and the		at 🖂 🗆					
may be affected in the municipality and proceed to Part 2. If no, continue to que							
2. Does the proposed action require a permit, approval or funding from any oth	er government Agency?	NO YES					
If Yes, list agency(s) name and permit or approval:		\square					
3. a. Total acreage of the site of the proposed action?	⊋O acres						
b. Total acreage to be physically disturbed?	acres						
c. Total acreage (project site and any contiguous properties) owned							
or controlled by the applicant or project sponsor?	acres						
4. Check all land uses that occur on, are adjoining or near the proposed action:							
☐ Urban ☐ Rural (non-agriculture) ☐ Industrial ☒ Commerc	ial 🔀 Residential (subur	rban)					
Forest Agriculture Aquatic Other(Spe	cify):						
Parkland	•						

Page 1 of 3

5. Is the proposed action,	NO	YES	N/A
a. A permitted use under the zoning regulations?	П	X	
b. Consistent with the adopted comprehensive plan?		X	
6. Is the proposed action consistent with the predominant character of the existing built or natural landscape?		NO	YES
6. Is the proposed action consistent with the predominant character of the existing built or natural landscape?			
7. Is the site of the proposed action located in, or does it adjoin, a state listed Critical Environmental Area?		NO	YES
If Yes, identify:		X	
		NO	YES
8. a. Will the proposed action result in a substantial increase in traffic above present levels?		X	
b. Are public transportation services available at or near the site of the proposed action?			X
c. Are any pedestrian accommodations or bicycle routes available on or near the site of the proposed action?			X
Does the proposed action meet or exceed the state energy code requirements?		NO	YES
If the proposed action will exceed requirements, describe design features and technologies:			
Will meet existing building code compliance			X
10. Will the proposed action connect to an existing public/private water supply?		NO	YES
If No, describe method for providing potable water:			X
11. Will the proposed action connect to existing wastewater utilities?		NO	YES
If No, describe method for providing wastewater treatment:			
			X
12. a. Does the project site contain, or is it substantially contiguous to, a building, archaeological site, or district	et	NO	YES
which is listed on the National or State Register of Historic Places, or that has been determined by the Commissioner of the NYS Office of Parks, Recreation and Historic Preservation to be eligible for listing on the State Register of Historic Places?	:	Ø	
b. Is the project site, or any portion of it, located in or adjacent to an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory?		X	
13. a. Does any portion of the site of the proposed action, or lands adjoining the proposed action, contain wetlands or other waterbodies regulated by a federal, state or local agency?		NO X	YES
b. Would the proposed action physically alter, or encroach into, any existing wetland or waterbody?		X	
If Yes, identify the wetland or waterbody and extent of alterations in square feet or acres:			
		2232	

14. Identify the typical habitat types that occur on, or are likely to be found on the project site. Check all that apply:		
Shoreline Forest Agricultural/grasslands Early mid-successional		
☐ Wetland ☐ Urban ☑ Suburban		
15. Does the site of the proposed action contain any species of animal, or associated habitats, listed by the State or	NO	YES
Federal government as threatened or endangered?	X	
16. Is the project site located in the 100-year flood plan?	NO	YES
	X	
17. Will the proposed action create storm water discharge, either from point or non-point sources?	NO	YES
If Yes,	X	
a. Will storm water discharges flow to adjacent properties?	\square	
b. Will storm water discharges be directed to established conveyance systems (runoff and storm drains)?		
If Yes, briefly describe:		
no change to existing footprint and stormwater drainage at grade		
arainage at grave		
18. Does the proposed action include construction or other activities that would result in the impoundment of water	NO	YES
or other liquids (e.g., retention pond, waste lagoon, dam)? If Yes, explain the purpose and size of the impoundment:		
	K	
49. Has the site of the proposed action or an adjoining property been the location of an active or closed solid waste management facility?	NO	YES
If Yes, describe:		
20. Has the site of the proposed action or an adjoining property been the subject of remediation (ongoing or completed) for hazardous waste?	NO	YES
If Yes, describe:		
I CERTIFY THAT THE INFORMATION PROVIDED ABOVE IS TRUE AND ACCURATE TO THE B	EST OF	
MY KNOWLEDGE		
Applicant/sponsor/name: Stephen Tilly / Stephen Tilly ArchitectDate: 01/23 Signature: Title: Principal	/20	24
Signature: Title: Principal		



Village of Dobbs Ferry Building Department Village Hall - 112 Main Street Dobbs Ferry, New York 10522 Phone; (914) 231-8513 - Fax: 914-693-3470

LWRP CONSISTENCY REVIEW COASTAL ASSESSMENT FORM

Name of Applicant: 5+ephen	Tilly / Stephen Tilly Architect
Mailing address: 22 E/m	street
Dobbs Fe	rry, NY 1052>
Telephone number: 914-693	
Tax Lot#: 3. 80 - 40 - 3.	
Application number, if any:A	2023-0526

A. INSTRUCTIONS (Please print or type all answers)

- 1. All applicants, including the Village of Dobbs Ferry and other agencies, shall complete this CAF for proposed actions subject to **Local Law# 10-05 LWRP Consistency Law.** This assessment is intended to supplement other information used by the Dobbs Ferry Planning Board in making a determination of consistency with the Coastal Management Policies set forth in the Dobbs Ferry Local Waterfront Revitalization Program (LWRP).
- 2. All applicants shall complete Sections B and C of this Coastal Assessment Form. If the proposed action meets any of the criteria listed in Section C, Section D must be completed.
- 3. In Section D, a proposed action should be evaluated as to its potential beneficial and/or adverse effects upon the coastal area and how it may affect the achievement of the specific policy standards contained in the LWRP and the LWRP Consistency Law.
- 4. Once evaluated, a proposed action may need to be analyzed in more detail and, if necessary, modified prior to making a determination that it is consistent with the LWRP policy standards. If an action to be certified as consistent with the LWRP policy standards, it shall not be undertaken.

B. DESCRIPTION OF SITE AND PROPOSED ACTION

1	Type of action (check appropriate response):
1.	a) Directly undertaken (e.g., capital construction, planning activity, agency regulation.
	land transaction)
	b) Financial assistance (e.g., grant, loan, subsidy)
	Village of Dobbs Ferry - LWRP Consistency Review
	COASTAL ASSESSMENT FORM (5/20/2022)

	c) Pe	ermit, approval, license, certification 5/fe plan approval arty or Agency undertaking action:
2.	Desc of	ribe nature and extent of action: Building permit for restoration
3.	Loca	tion of action (Street or Site Description): 83 Main Street Dobbs Ferry, NY 10522
		DASTAL ASSESSMENT CRITERIA c check any of the following criteria that describe the proposed action.
		1. The proposed action has direct contact with coastal waters, i.e., the Hudson River and/or its tributaries - Wickers Creek and the Saw Mill River.
		2. The proposed action utilizes coastal waters, either directly or indirectly.
J		3. The proposed action involves natural features such as tree cover, hillsides, steep slopes, ridgelines and wetlands that either effect or are affected by coastal waters.
1		4. The proposed action demonstrates a relationship to coastal waters. The relationship may be recreational, cultural, historic, or business.
		5. The proposed action has a direct visual relationship with coastal waters and their waterfronts.

If the proposed action meets any of the above criteria, Section D must be completed.

D. COASTAL ASSESSMENT

The following thirteen questions are based directly on the Coastal Management Policies set forth in Section ill of the Dobbs Ferry LWRP. The preparer of this form should review these policies which are available online at www.dobbsferry.com/content/waterfront and also on file in the Village of Dobbs Ferry Clerk's office. Please answer every question and provide a brief explanation. If necessary, you may attach further explanation or refer to other available documentation relating to the proposed action.

1.	Does the proposed action foster a pattern of development in the coastal area that enhances community character, open space preservation, use of existing infrastructure, use of a coastal location?
_	YES NO Not Applicable
2.	Does the proposed action preserve historic and archaeological resources? YES NO Not Applicable
_	
3.	Does the proposed action protect existing scenic resources or enhance visual quality in the community? YES NO Not Applicable
4.	Does the proposed action minimize loss of life, structures, and natural resources from flooding and erosion? YES NO Not Applicable
_	
5.	Does the proposed action protect or improve water resources? YES NO Not Applicable
_	
6.	Does the proposed action protect or restore ecological resources, including significant fish and wildlife habitats, wetlands, and rare ecological communities? YES NO Not Applicable
_	
_	

7. 1	Does the proposed action protect and/or improve air quality? YES NO Not Applicable
8.	Does the proposed action minimize environmental degradation from solid waste and hazardous substances and wastes? YES NO Not Applicable
9.	Does the proposed action improve public access to and recreational use of public lands and waters? YES NO Not Applicable
10.	Does the proposed action protect water-dependent uses, promote siting of new water-dependent uses in suitable locations, and/or support efficient harbor operation? YES NO Not Applicable
11.	Does the proposed action promote the sustainable use of fish and wildlife resources? YES NO Not Applicable
_	

12. Does the proposed YES NO	action protect agricultural land Not Applicable	ds?	
			···
			
resources?	☑Not Applicable	se and development of energy and minera	
	RKS OR ADDITIONAL INI	FORMATION: blete this form, please contact Village of E	Building
Preparer's Name:	Telephone:		
Title:	Agency:	Date	
Consistency Determination	on		
∐Yes			
□No			

Dotail of Zoning Map **WFB** 7 MF-1

Residential Districts:

One-Family Residential 1 OF-2 One-Family Residential 2 One-Family Residential 3 One-Family Residential 4 One-Family Residential 5 OF-3 OF-4 OF-5 OF-6 One-Family Residential 6 MDR-1 Mixed Density Residential 1 MDR-2 Mixed Density Residential 2 MDR-3 Mixed Density Residential - Historic Broadway

MF-1 Multi-Family 1 MF-2 Multi-Family 2 MF-3 Multi-Family 3 MF-4 Multi-Family 4

Downtown Districts:

DB Downtown Business
DT Downtown Transition
DG Downtown Gateway

Special Districts:

WF-A Waterfront District A
WF-B Waterfront District B
CP Chauncey Park
El Educational / Institutional District

OS Open Space

Village of Dobbs Ferry

Town of Greenburgh Westchester County, New York



Source Dobbs Ferry GIS Data Phillips Preiss Shapiro Associates, Inc Adopted September 28, 2010