



GRADING NOTES:

1. THE CONTRACTOR SHALL INSTALL SELECT FILL INTO THE DEPRESSIONS LEFT BY POOL DEMOLITION AND REMOVALS. SELECT FILL SHALL BE PLACED IN LIFTS NOT EXCEEDING 6" THICKNESS AND COMPACTED TO 95% MODIFIED CAP PROCTOR DENSITY.
2. NEW POOL DECK AREA SHALL BE ROUGH GRADED TO ELEVATION 199.0 AREA TO INCLUDE POOL DECK AND TO 8' BEYOND DECK ON ALL SIDES AND TO MEET EXISTING WITH MAXIMUM SLOPE OF 3 HORIZONTAL TO VERTICAL.
3. CONSTRUCT SWALE AT SOUTH EDGE OF POOL DECK PER DETAILS SHOWN.

THE EDUCATION LAW OF THE STATE OF NEW YORK PROHIBITS ANY PERSON FROM ALTERING ANYTHING ON THIS DRAWING AND/OR THE ACCOMPANYING SPECIFICATION, UNLESS IT IS UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER. WHERE SUCH ALTERATIONS ARE MADE, THE PROFESSIONAL ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL EXTENT OF THE ALTERATION ON THE DRAWING AND/OR IN THE SPECIFICATION.

THE PLANS AND SPECIFICATIONS HEREIN ARE INTENDED FOR THE SUBJECT PROJECT ONLY AS A RESULT OF CONTRACTUAL NEGOTIATIONS BETWEEN THE OWNER AND A.S.BELL ENGINEERING, P.C. PLANS AND SPECIFICATIONS WILL BE SUBJECT OF A COPYRIGHT PETITION AND MAY NOT BE REVISED OR REUSED BY ANYONE WITHOUT THE WRITTEN AUTHORITY OF A.S.BELL ENGINEERING P.C.



518-456-6015
gschult1@nycap.rr.com

GOULD PARK
ASHFORD AVE & BEACON HILL DR
DOBBS FERRY, NY 10522

BELL ENGINEERING
A S BELL ENGINEERING, PC
Andrew S. Bell, P.E.

BE

1732 WESTERN AVENUE
ALBANY, N.Y. 12203
(518) 452-2838
osbellengineering@gmail.com

GRADING SITE PLAN

DRAWING NO. DP-2	SCALE: AS SHOWN	DATE: SEPTEMBER 2018	SHEET NO. 2 OF 2
---------------------	--------------------	-------------------------	---------------------